

60130-1371
00MRA0030

IN THE CLAIMS

12. (Currently Amended) A vehicle door comprising:
an interior shell and an exterior shell defining an interior space; and
a frame structure disposed in the interior space, the frame structure forming which forms a
U-shaped structure provided with at least one guide element for a window regulator arrangement,
wherein said U-shaped structure ~~is made from~~ comprises a profile bar which supports and
reinforces said vehicle door;
a window pane; and
at least one coupling member disposed in said at least one guide element in the frame
structure and -arranged to hold the window pane apart from said frame structure.

B2
13. (Previously Presented) The vehicle door, in accordance with claim 12, wherein
said U-shaped structure is provided with a motor.

14. (Currently Amended) The vehicle door, in accordance with claim 13, wherein said
window regulator arrangement includes drive cables which are received in said guide elements
and extend from said motor to ~~a~~ the window pane.

15. (Currently Amended) The vehicle door, in accordance with claim 14, wherein
said ~~window regulator arrangement further includes~~ at least one coupling members which
connects said drive cables to said window pane.

16. (Currently Amended) The vehicle door, in accordance with claim ~~15~~ 12, wherein
said coupling members are glued to said window pane.

17. (Cancelled)

18. (Previously Presented) The vehicle door, in accordance with claim 12, wherein
said profile bar includes a plurality of parallel guide elements.

60130-1371
00MRA0030

19. (Currently Amended) The vehicle door in accordance with claim 12, wherein ~~thea~~ window pane moves vertically and laterally, said window pane being aligned with said exterior panel when in a closed position.

20. (Previously Presented) The vehicle door, in accordance with claim 12, wherein said profile bar is made of aluminium.

21. (Currently Amended) The vehicle door, in accordance with claim 12, wherein said frame structure is planked on both an inner surface and an outer surface by said ~~inner~~ interior shell and said exterior shell, respectively.

B2
22. (Currently Amended) The vehicle door, in accordance with claim 12, wherein lateral surfaces of said frame structure are covered by at least one of said interior shell and said ~~outer~~ exterior shell.

23. (Currently Amended) A vehicle door comprising:
an interior shell and an exterior shell defining an interior space;
a frame structure disposed in the interior space, the frame structure forming a U-shaped structure provided with at least one guide element for a window regulator arrangement and at least one edge guide element, wherein said at least one guide element and the edge guide element form a continuous recess and are disposed substantially in a single plane in the frame structure, wherein said U-shaped structure comprises a profile bar which supports and reinforces said vehicle door;
a window pane~~The vehicle door, in accordance with claim 12,~~ wherein an edge of a window pane is received in the edge guide element; and
a coupling member disposed in the recess formed by said at least one guide element and said at least one edge guide element~~in said at least one guide element.~~

60130-1371
00MRA0030

Please add the following new claims:

24. (New) A window frame for a vehicle door, comprising:

a frame structure which forms a U-shaped structure provided with at least one guide element for a window regulator arrangement, wherein said U-shaped structure comprises a profile bar acting as a vehicle door support and reinforcement; and

at least one coupling member disposed in said at least one guide element and arranged to hold a window pane apart from said frame structure.

25. (New) The window frame of claim 24, wherein said U-shaped structure is provided with a motor.

26. (New) The window frame of claim 25, wherein said window regulator arrangement includes drive cables which are received in said guide elements and extend from said motor to a window pane.

27. (New) The window frame of claims 2-6, wherein the drive cables are connected to said at least one coupling member.

28. (New) The window frame of claim 24, wherein said profile bar includes a plurality of parallel guide elements.

29. (New) The window frame of claim 24, wherein said profile bar is made of aluminium.

60130-1371
OOMRA0030

30. (New) A window frame for a vehicle door, comprising:

B2
a frame structure which forms a U-shaped structure provided with at least one guide element for a window regulator arrangement and at least one edge guide element, wherein said at least one guide element and the edge guide element form a continuous recess and are disposed substantially in a single plane in the frame structure, wherein said U-shaped structure comprises a profile bar which supports and reinforces said vehicle door;

a coupling member disposed in the recess formed by said at least one guide element and said at least one edge guide element.
